

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Kavan Air/Heli 5% nitro

Substance / mixture mixture
Number KAVF005/5 (5I)

UFI 7R40-P00U-N00T-6N50

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

Fuel.

#### The use descriptors

SU 21 Consumer uses: Private households (= general public = consumers)

SU 0 Other PC 13 Fuels

C Consumer use

#### Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

#### Main intended use

PC-FUE-1 Fuels for vehicles and machinery

## 1.3. Details of the supplier of the safety data sheet

#### Distributor

Name or trade name PELIKAN DANIEL

Address Doubravice 110, Pardubice, 533 53

Czech Republic

Identification number (CRN)60876999VAT Reg NoCZ7405133362Phone+420 466 260 133E-mailinfo@pelikandaniel.comWeb addresspelikandaniel.com

Competent person responsible for the safety data sheet

Name Ing. Jaroslav Jína E-mail jina@pelikandaniel.com

#### 1.4. Emergency telephone number

European emergency number: 112

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 2, H225

Acute Tox. 3, H301+H311+H331

STOT SE 1, H370

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

## Most serious adverse effects on human health and the environment

Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

# 2.2. Label elements

## **Hazard pictogram**







## Signal word

Danger

#### **Hazardous substances**

methanol nitromethane

#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H370 Causes damage to organs.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapours.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P308+P311 IF exposed or concerned: Call a doctor. P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to by disposing in a hazardous waste receptacle.

## Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

## 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Chemical characterization**

Mixture of substances and additives specified below.

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6 Registration number: 01-2119433307-44	methanol	83-88	Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: $3 \% \le C < 10 \%$	1, 2
Index: 609-036-00-7 CAS: 75-52-5 EC: 200-876-6 Registration number: 01-2119951858-20	nitromethane	5	Flam. Liq. 3, H226 Acute Tox. 4, H302	1



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

#### Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

## If swallowed

INDUCE VOMITING! Vomiting should be induced in the person only if conscious, within 1 hour from ingestion. If in doubt whether vomiting should be induced, contact the Toxicological Information Centre and give information about the substances or composition of the product as provided on the original packaging or in the safety data sheet of the product. FOLLOWING INGESTION OF TOXIC OR HIGHLY TOXIC SUBSTANCES, GIVE 10-20 CRUSHED TABLETS OF ACTIVATED CARBON, MIXED IN WATER, WITHIN NO LATER THAN 5 MINUTES - irrespective of whether vomiting could be induced. Call medical rescue service.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Cough, headache.

#### If on skin

not available

## If in eyes

Not expected.

## If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
5	jerry can	

Storage class 6,1A - Combustible acute toxic substances

Storage temperature min 5 °C, max 25 °C

## The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

# 7.3. Specific end use(s)

not available

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

## **European Union**

## Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
methanol (CAS: 67-56-1)	OEL 8 hours	260 mg/m <sup>3</sup>	Skin
methanol (CAS: 67-36-1)	OEL 8 hours	200 ppm	SKIII

# United Kingdom of Great Britain and Northern Ireland

## EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value	Note
	WEL 8h	266 mg/m <sup>3</sup>	
mathanal (CAS, 67 F6 1)	WEL 8h	200 ppm	Can be absorbed through the skin. The assigned substances are those for which there are
methanol (CAS: 67-56-1)	WEL 15min	333 mg/m³	concerns that dermal absorption will lead to systemic toxicity.
	WEL 15min	250 ppm	
	WEL 8h	254 mg/m <sup>3</sup>	
nitromethane (CAS: 75-52-5)	WEL 8h	100 ppm	
Initioniethane (CAS. 75-32-3)	WEL 15min	381 mg/m <sup>3</sup>	
	WEL 15min	150 ppm	

## 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

It is not needed.

## Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

## Respiratory protection

Use insulating breathing apparatus when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

#### Thermal hazard

Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liquid



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021
Revision date Version 1.0

Color blue

Odour containing alcohol

Melting point/freezing point -97,8 °C
Boiling point or initial boiling point and boiling range >60 °C

Flammability data not available

Lower and upper explosion limit

bottom 4,4 % upper 38,5 % Flash point <21 °C Auto-ignition temperature 455 °C

Decomposition temperature data not available pH non-polar/aprotic

Kinematic viscosity 1-2 mm²/s at 40 °C

Solubility in water miscible

Partition coefficient n-octanol/water (log value) data not available Vapour pressure 169 hPa at 25 °C

Density and/or relative density

Density

Density 0,88 g/cm³ at 25 °C

Relative vapour density 1,1

Particle characteristics data not available

#### 9.2. Other information

not available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

## 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## **Acute toxicity**

Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.

## Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Causes damage to organs.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### **Aspiration hazard**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

not available

## **SECTION 12: Ecological information**

# 12.1. Toxicity

#### **Acute toxicity**

Data for the mixture are not available.

#### 12.2. Persistence and degradability

not available

#### 12.3. Bioaccumulative potential

Not available.

# 12.4. Mobility in soil

Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

Not available.

#### 12.7. Other adverse effects

not available

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

#### Waste type code

13 07 03 other fuels (including mixtures) \*

#### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

UN 1992

#### 14.2. UN proper shipping name

FLAMMABLE LIQUID, TOXIC, N.O.S.

#### 14.3. Transport hazard class(es)

3 Flammable liquids

## 14.4. Packing group

II - substances presenting medium danger

## 14.5. Environmental hazards

not available

#### 14.6. Special precautions for user

Make sure that the person transporting the product knows the ways of handling the product in the event of accident.

# 14.7. Maritime transport in bulk according to IMO instruments

not available

#### **Additional information**

Hazard identification No. 336
UN number 1992
Classification code FT1

Classification code FT1
Safety signs 3+6.1



#### Air transport - ICAO/IATA

Packaging instructions passenger 352 Cargo packaging instructions 364

## Marine transport - IMDG

EmS (emergency plan) F-E, S-D MFAG 310 Marine Pollutant No

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

## Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

#### methanol

Restriction	Conditions of restriction
69	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or
	defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021

Revision date Version 1.0

#### 15.2. Chemical safety assessment

No chemical safety assessment has been performed.

#### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.H226 Flammable liquid and vapour.

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs. H371 May cause damage to organs.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

#### Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P308+P311 IF exposed or concerned: Call a doctor.

P405 Store locked up.

P501 Dispose of contents/container to by disposing in a hazardous waste receptacle.

P260 Do not breathe vapours.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P403+P235 Store in a well-ventilated place. Keep cool.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockade
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Kavan Air/Heli 5% nitro

Creation date 01st June 2021
Revision date Version 1.0

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level NOEC No observed effect concentration

NOEL No observed effect level
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Flam. Lig. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## More information

Classification procedure - calculation method.

# Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.